

## List of Danube Bridges

Vertical bridge clearance refers to the distance (in metres) between the lowest part of the bottom edge of a bridge in the range of the entire width of the fairway channel and the highest navigable water level (HNWL).  
Horizontal bridge clearance refers to the width of the fairway channel at low navigable water level (LNWL).

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1			Passageway 2			HNWL at reference gauge	Notes
						(RB downstream view)			(LB downstream view)				
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
1	2 414,25	DE	DE	Maximilianbrücke (Kelheim)	Road	5,25	17,25	D + U	--	--	--	540 cm Kelheim	
2	2 412,72	DE	DE	Europabrücke (Kelheim)	Road	6,80	31,10	D + U	--	--	--	540 cm Kelheim	
3	2 410,10	DE	DE	Straßenbrücke Saal	Road	7,10	64,40	D + U	--	--	--	480 cm Oberndorf	Height at crest: 8.22
4	2 401,92	DE	DE	Eisenbahnbrücke Poikam	Rail	7,05	28,75	D + U	--	--	--	Impounded water level Bad Abbach	
5	2 401,74	DE	DE	Wehrbrücke Bad Abbach	Road	6,40	48,45	D + U	--	--	--	Impounded water level Bad Abbach	
6	2 400,28	DE	DE	Wirtschaftswegbrücke Bad Abbach	Road	6,45	48,60	D + U	--	--	--	Impounded water level Bad Abbach	
7	2 387,59	DE	DE	Autobahnbrücke Sinzing	Road	40,80	49,25	D + U	--	--	--	480 cm Oberndorf	
8	2 386,71	DE	DE	Eisenbahnbrücke Sinzing	Rail	10,46	48,65	D + U	--	--	--	480 cm Oberndorf	
9	2 385,67	DE	DE	Eisenbahnbrücke Mariaort	Rail	8,65	32,60	D + U	--	--	--	480 cm Oberndorf	
10	2 381,13	DE	DE	Autobahnbrücke Pfaffenstein (Regensburg)	Road	6,75	35,00	D + U	--	--	--	Impounded water level Regensburg	
11	2 381,04	DE	DE	Wegbrücke Pfaffenstein (Regensburg)	Pedestrian	6,60	37,00	D + U	--	--	--	Impounded water level Regensburg	
12	2 380,17	DE	DE	Oberpfalzbrücke (Regensburg)	Road	6,40	65,00	D + U	--	--	--	Impounded water level Regensburg	Height at crest: 8.16
13	2 379,56	DE	DE	Protzenweiherbrücke (Regensburg)	Road	6,65	12,00	D + U	--	--	--	520 cm Regensburg-Schwabelweis	Height indicator available
14	2 378,39	DE	DE	Nibelungenbrücke (Nordarm, Regensburg)	Road	6,95	50,20	D + U	--	--	--	520 cm Regensburg-Schwabelweis	
15	2 376,82	DE	DE	Eisenbahnbrücke Schwabelweis	Rail	5,95	34,00	D	6,00	33,00	U	520 cm Regensburg-Schwabelweis	Height indicator available
16	2 376,33	DE	DE	Straßenbrücke Regensburg-Schwabelweis	Road	8,65	101,00	D + U	--	--	--	520 cm Regensburg-Schwabelweis	
17	2 369,64	DE	DE	Straßenbrücke Donaustauf	Road	8,75	101,75	D + U	--	--	--	520 cm Regensburg-Schwabelweis	
18	2 358,26	DE	DE	Autobahnbrücke Wörth	Road	8,10	138,45	D + U	--	--	--	520 cm Regensburg-Schwabelweis	
19	2 353,32	DE	DE	Straßenbrücke Pfatter	Road	7,35	85,35	D + U	--	--	--	600 cm Pfatter	Height in recommended channel: 8.05
20	2 321,82	DE	DE	Straßenbrücke UH Schleuse Straubing	Road	8,30	24,00	D + U	--	--	--	505 cm Straubing	
21	2 320,00	DE	DE	Agnes-Bernauer-Brücke (Straubing)	Road	8,85	66,55	D + U	--	--	--	505 cm Straubing	
22	2 316,98	DE	DE	Straßenbrücke Reibersdorf	Road	8,85	71,90	D + U	--	--	--	505 cm Straubing	
23	2 311,27	DE	DE	Eisenbahnbrücke Bogen	Rail	5,00	43,95	D + U	--	--	--	620 cm Pfelling	Height indicator available
24	2 308,40	DE	DE	Straßenbrücke Bogen	Road	9,00	75,10	D + U	--	--	--	620 cm Pfelling	
25	2 290,12	DE	DE	Autobahnbrücke Metten	Road	8,60	71,40	D + U	--	--	--	540 cm Deggendorf	
26	2 285,89	DE	DE	Eisenbahnbrücke Deggendorf	Rail	8,40	90,00	D + U	--	--	--	540 cm Deggendorf	

## List of Danube Bridges

Vertical bridge clearance refers to the distance (in metres) between the lowest part of the bottom edge of a bridge in the range of the entire width of the fairway channel and the highest navigable water level (HNWL).  
Horizontal bridge clearance refers to the width of the fairway channel at low navigable water level (LNWL).

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1			Passageway 2			HNWL at reference gauge	Notes
						(RB downstream view)			(LB downstream view)				
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
27	2 285,87	DE	DE	Wegbrücke Deggendorf	Pedestrian	8,40	90,00	D + U	--	--	--	540 cm Deggendorf	
28	2 285,49	DE	DE	Autobahnbrücke Fischerdorf (Deggendorf)	Road	8,40	89,85	D + U	--	--	--	540 cm Deggendorf	
29	2 284,59	DE	DE	Maximilianbrücke (Deggendorf)	Road	8,60	89,85	D + U	--	--	--	540 cm Deggendorf	
30	2 282,52	DE	DE	Autobahnbrücke Deggenau	Road	9,65	82,90	D + U	--	--	--	540 cm Deggendorf	
31	2 266,23	DE	DE	Donau-Wald-Brücke (Winzer)	Road	8,60	62,00	D + U	--	--	--	480 cm Hofkirchen	
32	2 249,16	DE	DE	Straßenbrücke Vilshofen (Marienbrücke)	Road	8,00	89,00	D + U	--	--	--	480 cm Hofkirchen	
33	2 234,26	DE	DE	Autobahnbrücke Schalding	Road	35,75	100,15	D + U	--	--	--	Impounded water level Kachlet	
34	2 230,63	DE	DE	Kabelsteg Kachlet	Cable	8,50	24,00	D + U	8,50	24,00	D + U	Impounded water level Kachlet	
35	2 230,42	DE	DE	RMD Schleusenbrücke Kachlet	Road	9,40	24,00	D + U	9,40	24,00	D + U	780 cm Passau-Donau	
36	2 230,28	DE	DE	Eisenbahnbrücke Steinbach (Passau)	Rail	6,30	59,20	D + U	--	--	--	780 cm Passau-Donau	Height indicator available
37	2 230,10	DE	DE	Franz-Josef-Strauß-Brücke (Passau)	Road	11,00	67,00	D + U	--	--	--	780 cm Passau-Donau	
38	2 226,96	DE	DE	Schanzbrücke (Passau)	Road	7,70	101,00	D + U	--	--	--	780 cm Passau-Donau	
39	2 225,75	DE	DE	Luitpoldbrücke (Passau)	Road	5,15	80,55	D + U	--	--	--	780 cm Passau-Donau	Height at crest: 5,95; Height indicator available
40	2 223,28	DE	DE	Eisenbahnbrücke Kräutelstein	Rail	9,50	92,00	D	9,50	71,00	U	780 cm Passau-Donau	
41	2 203,31	DE	DE	Kranbrücke KW Jochenstein	Crane	7,80	24,00	D + U	7,80	24,00	D + U	290,34 m a. A. HW lock Jochenstein	
42	2 194,10	AT	AT	Straßenbrücke Niederranna	Road	8,16	107,30	D + U	--	--	--	281,50 m a. A. Kager-Niederranna	Height at crest: 8,87 m
43	2 162,94	AT	AT	Schleusenbrücke Aschach OW	Pedestrian	8,22	24,00	D + U	8,18	24,00	D + U	280,70 m a. A. HW lock Aschach	
44	2 162,67	AT	AT	Schleusenbrücke Aschach UW	Lock	11,50	24,00	D + U	11,50	24,00	D + U	265,84 m a. A. TW lock Aschach	
45	2 159,97	AT	AT	Straßenbrücke Aschach	Road	8,87	125,00	D + U	--	--		265,45 m a. A. Aschach-Agentie	Height at crest: 9,52 m
46	2 146,73	AT	AT	Schleusenbrücke Ottensheim-Wilhering	Lock	11,09	24,00	D + U	11,09	24,00	D + U	255,61 m a. A. TW lock Ottensheim	
47	2 135,10	AT	AT	Nibelungenbrücke Linz	Road	8,17	90,00	D + U	--	--	--	4,86 m Linz	Height at crest: 8,49 m
48	2 133,82	AT	AT	Neue Donaubrücke Linz	Road / Rail	8,32	80,00	D + U	--	--	--	4,86 m Linz	Height at crest: 9,13 m
49	2 133,49	AT	AT	VOEST Bypassbrücke LZ34B	Road	9,97	100,40	D + U	--	--	--	4,86 m Linz	Height at crest: 10,47 m
50	2 133,46	AT	AT	VOEST Brücke Linz	Road	10,43	100,40	D + U	--	--	--	4,86 m Linz	Height at crest: 10,93 m
51	2 133,42	AT	AT	VOEST Bypassbrücke LZ34A	Road	9,99	100,40	D + U	--	--	--	4,86 m Linz	Height at crest: 10,49 m
52	2 127,73	AT	AT	Straßenbrücke Steyregg	Road	8,37	71,00	D	8,19	71,00	U	251,58 m a. A. Überströmstrecke Steyregg	

## List of Danube Bridges

Vertical bridge clearance refers to the distance (in metres) between the lowest part of the bottom edge of a bridge in the range of the entire width of the fairway channel and the highest navigable water level (HNWL).  
Horizontal bridge clearance refers to the width of the fairway channel at low navigable water level (LNWL).

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1			Passageway 2			HNWL at reference gauge	Notes
						(RB downstream view)			(LB downstream view)				
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
53	2 127,68	AT	AT	Eisenbahnbrücke Steyregg	Rail	8,48	71,30	D	8,47	71,70	U	251,58 m a. A. Überströmstrecke Steyregg	
54	2 119,45	AT	AT	Schleusenbrücke Abwinden-Asten	Lock	11,57	24,00	D + U	11,57	24,00	D + U	243,93 m a. A. TW lock Abwinden	
55	2 111,05	AT	AT	Straßen- und Eisenbahnbrücke Mauthausen	Road/Rail	8,47	72,00	D	8,47	73,00	U	4,99 m Mauthausen	
56	2 094,50	AT	AT	Schleusenbrücke Wallsee-Mitterkirchen	Lock	10,47	24,00	D + U	10,47	24,00	D + U	232,03 m a. A. TW lock Wallsee	
57	2 080,82	AT	AT	Straßenbrücke Grein	Road	8,46	100,00	D + U	--	--	--	228,03 m a. A. Grein	Height at crest: 10.62 m
58	2 060,42	AT	AT	Schleusenbrücke Ybbs-Persenbeug OW	Lock	8,01	24,00	D + U	8,01	24,00	D + U	226.50 m a. A. HW lock Persenbeug	
59	2 060,15	AT	AT	Schleusenbrücke Ybbs-Persenbeug UW	Road	9,73	24,00	D + U	9,73	24,00	D + U	217,51 m a. A. TW lock Persenbeug	
60	2 043,60	AT	AT	Straßenbrücke Pöchlarn	Road	8,91	80,70	D	8,31	80,90	U	214,31 m a. A. Pöchlarn	Height at crest: 10.91 m (Passageway 1) and 10.38 m (Passageway 2)
61	2 038,16	AT	AT	Schleusenbrücke Melk	Lock	9,97	24,00	D + U	9,97	24,00	D + U	207,63 m a. A. TW lock Melk	
62	2 034,43	AT	AT	Straßenbrücke Melk	Road	9,75	134,20	D + U	--	--	--	7,33 m Melk	Height at crest: 13,51 m
63	2 003,53	AT	AT	Straßenbrücke Stein - Mautern	Road	--	--	--	7,97	71,00	D + U	194,88 m a. A. Stein-Krems	Height indicator available
64	2 001,51	AT	AT	Eisenbahnbrücke Krems	Rail	8,06	70,00	D	8,14	73,00	U	194,62 m a. A. Krems-Eisenbahnbrücke	
65	1 999,77	AT	AT	Straßenbrücke Krems	Road	8,31	111,00	D + U	--	--	--	194,62 m a. A. Krems-Eisenbahnbrücke	Height at crest: 8,41 m
66	1 991,35	AT	AT	Straßenbrücke Traismauer	Road	8,56	120,00	D + U	--	--	--	194,12 m a. A. Hollenburg	Height at crest: 11.07 m
67	1 979,83	AT	AT	Schleusenbrücke Altenwörth	Lock	11,11	24,00	D + U	11,11	24,00	D + U	181,39 m a. A. TW lock Altenwörth	
68	1 965,50	AT	AT	Straßenbrücke Tulln West	Road	9,92	151,00	D + U	--	--	--	177,75 m a. A. Streuhäufel	Height at crest: 11,28 m
69	1 963,15	AT	AT	Eisenbahnbrücke Tulln	Rail	8,00	75,00	D	7,98	78,00	U	177,32 m a. A. Tulln	
70	1 963,15	AT	AT	Straßenbrücke Tulln	Road	7,89	78,00	D	7,76	75,00	U	177,32 m a. A. Tulln	
71	1 949,23	AT	AT	Schleusenbrücke Greifenstein	Lock	9,27	24,00	D + U	9,27	24,00	D + U	167,73 m a. A. TW lock Greifenstein	
72	1 932,62	AT	AT	Nordbrücke Wien	Road	8,38	65,00	U	8,13	58,00	D	6,43 m Wien Floridsdorferbrücke	Height at crest: 8,50 m (Passageway 1) and 8,41 m (Passageway 2)
73	1 932,57	AT	AT	Steinitzsteg Wien	Pedestrian	8,43	58,00	U	8,81	65,00	D	6,43 m Wien Floridsdorferbrücke	
74	1 931,71	AT	AT	Floridsdorfer Brücke	Road/Tram	8,29	118,00	D + U	--	--	--	6,43 m Wien Floridsdorferbrücke	Height at crest: 9,12 m
75	1 931,20	AT	AT	Nordbahnbrücke Wien	Rail	8,11	65,00	U	8,14	67,00	D	6,66 m U6-Brücke Wien	
76	1 931,17	AT	AT	U6 Brücke Wien	Subway	7,85	67,00	U	7,71	67,00	D	6,66 m U6-Brücke Wien	
77	1 930,45	AT	AT	Brigittener Brücke	Road	8,52	128,00	D + U	--	--	--	6,66 m U6-Brücke Wien	Height at crest: 11,21 m
78	1 928,90	AT	AT	Reichsbrücke Wien	Road	7,88	60,00	U	7,94	60,00	D	7,43 m Wien-Reichsbrücke	Height at crest: 8.42 m (Passageways 1 + 2)

## List of Danube Bridges

Vertical bridge clearance refers to the distance (in metres) between the lowest part of the bottom edge of a bridge in the range of the entire width of the fairway channel and the highest navigable water level (HNWL).  
Horizontal bridge clearance refers to the width of the fairway channel at low navigable water level (LNWL).

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1			Passageway 2			HNWL at reference gauge	Notes
						(RB downstream view)			(LB downstream view)				
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
79	1 925,99	AT	AT	Donaustadtbrücke	Subway	8,25	125,00	D + U	--	--	--	8,46 m Wien-Praterbrücke	Partly overlapping lanes in passageway
80	1 925,76	AT	AT	Praterbrücke Wien	Road	7,92	131,00	D + U	--	--	--	8,46 m Wien-Praterbrücke	
81	1 924,96	AT	AT	Ostbahnbrücke Wien	Rail	8,02	65,30	U	7,99	66,00	D	8,46 m Wien-Praterbrücke	
82	1 921,05	AT	AT	Schleusenbrücke Freudenau	Lock	8,94	24,00	D + U	8,94	24,00	D + U	156 m a. A. TW lock Freudenau	
83	1 920,87	AT	AT	Zufahrtsbrücke KW Freudenau	Pedestrian	8,45	60,00	D + U	--	--	--	156 m a. A. TW lock Freudenau	
84	1 917,70	AT	AT	Rohrbrücke Mannswörth	Pipeline	11,06	125,80	D + U	--	--	--	5,82 m Mannswörth-Rohrbrücke	Height at crest: 13,15 m
85	1 914,35	AT	AT	Barbarabrücke Schwechat	Pipeline	10,90	114,00	D + U	--	--	--	5,94 m Barbarabrücke	Height at crest: 13,89 m
86	1 886,25	AT	AT	Straßenbrücke Hainburg	Road	13,01	114,00	D + U	--	--	--	6,28 m Hainburg-Straßenbrücke	Height at crest: 13,3 m
87	1 871,35	SK	SK	Most Lafranconi (Bratislava)	Road	11,03	120,00	D + U	--	--	--	645 cm Bratislava	Height at crest: 15,88
88	1 869,10	SK	SK	Most SNP (Bratislava)	Road	11,28	138,00	D + U	--	--	--	645 cm Bratislava	Height at crest: 12,12.
89	1 868,14	SK	SK	Starý most (Bratislava)	Road/Rail	10,00	100,00	D + U	--	--	--	645 cm Bratislava	
90	1 867,30	SK	SK	Most Apollo (Bratislava)	Road	11,75	150,00	D + U	--	--	--	645 cm Bratislava	150 m width between the notice marks. 210 m available between the bridge piers.
91	1 866,40	SK	SK	Prístavný most (Bratislava)	Road/Rail	11,06	128,00	D + U	--	--	--	645 cm Bratislava	
92	1 862,00	SK	SK	Lužný most	Road	10,00	132,80	D + U	--	--	--	645 cm Bratislava	
93	1 819,30	SK	SK	Lock Bridge Gabčíkovo	Lock	8,72	34,00	D + U	8,70	34,00	D + U	644 cm Medved'ov	HNWL 115,30 m a. A. at Gabcikovo lock
94	1 806,36	HU	SK	Medve-híd/Most Medve (Medved'ov)	Road	8,51	121,00	D	9,18	80,00	U	557 cm Nagybajcs / 644 cm Medved'ov	
95	1 770,57	HU	SK	Monoštor	Road	10,00	100,10	D	10,00	100,10	U	588 cm Komárno	Physically only one bridge opening, divided by signal marks into two passag
96	1 770,40	HU	SK	Komáromi-híd [rail]	Rail	8,83	95,40	D	8,86	94,20	U	536 cm Komárom / 588 cm Komárno	
97	1 767,80	HU	SK	Komáromi-híd [road]	Road	7,29	80,00	U	7,29	80,00	D	536 cm Komárom / 588 cm Komárno	Height at crest: 9.31 (Passageway 1) and 9.29 (Passageway 2)
98	1 718,80	HU	SK	Esztergom (Štúrovo) (Maria Valeria híd)	Road	11,37	80,00	U	11,37	100,00	D	502 cm Esztergom / 503 cm Štúrovo	
99	1 659,80	HU	HU	MO Északi (Budapest North)	Road	13,21	180,00	D + U	--	--	--	668 cm Budapest	Height at crest: 13.53
100	1 654,40	HU	HU	Újpesti-híd (Budapest)	Rail	9,50	70,00	D	9,50	70,00	U	668 cm Budapest	
101	1 651,40	HU	HU	Árpád-híd (Budapest)	Road	8,16	70,00	D	8,19	70,00	U	668 cm Budapest	Height at crest: 8.16 (Passageway 1) and 8.19 (Passageway 2)
102	1 648,80	HU	HU	Margit-híd (Budapest)	Road	9,95	60,00	D	9,95	60,00	U	668 cm Budapest	Height at crest: 9.79 (Passageway 1) and 9.94 (Passageway 2)
103	1 647,00	HU	HU	Lánchíd (Széchenyi) (Budapest)	Road	8,20	130,00	D + U	--	--	--	668 cm Budapest	Height at crest: 8.20 at a width of 80 m

## List of Danube Bridges

Vertical bridge clearance refers to the distance (in metres) between the lowest part of the bottom edge of a bridge in the range of the entire width of the fairway channel and the highest navigable water level (HNWL).  
Horizontal bridge clearance refers to the width of the fairway channel at low navigable water level (LNWL).

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1			Passageway 2			HNWL at reference gauge	Notes
						(RB downstream view)			(LB downstream view)				
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
104	1 646,00	HU	HU	Erzsébet-híd (Budapest)	Road	8,72	180,00	D + U	--	--	--	668 cm Budapest	Height at crest: 8.72 at a width of 80 m
105	1 645,30	HU	HU	Szabadság-híd (Budapest)	Road	9,54	80,00	D + U	--	--	--	668 cm Budapest	Height at crest: 9.54
106	1 644,30	HU	HU	Petőfi-híd (Budapest)	Road	9,47	80,00	D + U	--	--	--	668 cm Budapest	Height at crest: 9.47
107	1 643,10	HU	HU	Lágymányosi-híd (Budapest)	Road	9,15	60,00	D	9,15	60,00	U	668 cm Budapest	
108	1 643,10	HU	HU	Déli-híd (Budapest)	Rail	9,15	60,00	D	9,15	60,00	U	668 cm Budapest	
109	1 632,90	HU	HU	MO híd (Budapest South)	Road	10,00	100,00	D	10,00	100,00	U	668 cm Budapest	
110	1 571,60	HU	HU	Pentele-híd (Dunaújváros-Dunavecse)	Road	11,86	180,00	D + U	--	--	--	551 cm Dunaújváros	Height at crest: 13.31
111	1 560,40	HU	HU	Dunaföldvári-híd (Dunaföldvár)	Road/Rail	8,73	74,00	D	8,73	74,00	U	546 cm Dunaföldvár	
112	1 498,81	HU	HU	Szekszárdi-híd (Szent László) (Bogyszló)	Road	9,50	100,00	D	9,50	100,00	U	805 cm Baja	Height at crest: 11.55
113	1 480,22	HU	HU	Bajai-híd (Túrr István) (Baja)	Road/Rail	8,09	60,00	D	8,40	60,00	U	805 cm Baja	
114	1 424,43	HR	RS	Road Bridge Bezdan - Batina	Road	9,29	120,00	D + U	--	--	--	602 cm GS Bezdan	Clearance at fairway axis: 11.07
115	1 366,63	HR	RS	Road Bridge Bogojevo - Erdut	Road	9,60	125,00	D + U	--	--	--	596 cm GS Bogojevo	Clearance at fairway axis: 11.81
116	1 366,44	HR	RS	Railroad Bridge Bogojevo - Erdut	Rail	8,59	80,00	D + U	--	--	--	596 cm GS Bogojevo	Clearance at fairway axis: 8.80
117	1 297,05	HR	RS	Road Bridge Bačka Palanka - Ilok	Road	10,13	120,00	D + U	--	--	--	578 cm GS Bačka Palanka	Clearance at fairway axis: 10.66
118	1 257,57	RS	RS	Road Bridge "Sloboda"	Road	14,16	190,00	D + U	--	--	--	573 cm GS Novi Sad	Clearance at fairway axis: 15.98
119	1 255,07	RS	RS	Road Bridge "Varadinska duga"	Road	9,73	125,00	D + U	--	--	--	573 cm GS Novi Sad	Clearance at fairway axis: 11.12
120	1 254,20	RS	RS	Road-Railroad Bridge "Žeželjev most"	Road/Rail	9,80	150,00	D + U	--	--	--	573 cm GS Novi Sad	Clearance at fairway axis: 10.01
121	1 232,17	RS	RS	Road Bridge "Beška"	Road	38,05	180,00	D + U	--	--	--	573 cm Novi Sad	Clearance at fairway axis: 43.09
122	1 176,10	RS	RS	Road Bridge "Pupinov most"	Road	10,76	150,00	D + U	--	--	--	623 cm GS Zemun	Clearance at fairway axis: 15.85
123	1 166,63	RS	RS	Road-Railroad Bridge "Pančevacki most"	Road/Rail	9,83	100,00	D	9,37	100,00	U	623 cm GS Zemun	Clearance at fairway axis D: 9.83; U: 9.55
124	1 112,90	RS	RS	Pipeline Bridge Smederevo	Pipeline	12,19	120,00	D + U	--	--	--	680 cm GS Smederevo	Clearance at fairway axis: 13.44
125	1 112,10	RS	RS	Road Bridge Smederevo - Kovin	Road	8,44	150,00	D + U	--	--	--	680 cm GS Smederevo	Clearance at fairway axis: 11.36
126	1 045,12	RO	RO	Road bridge Moldova Veche	Road	23,71	150,00	D + U	--	--	--	Impounded water level Iron Gate I	
127	942,90	RS	RO	Road/crane bridge (Đjerdap I/Portile de Fier I)	Lock	13,50	34,00	D + U	10,00	34,00	D + U	Impounded water level Iron Gate I	Bridge can be lifted near right bank from 10.00 to 13.50
128	942,60	RO	RO	Maintenance bridge (Đjerdap I/Portile de Fier I)	Lock	--	--	--	10,00	34,00	D + U	Impounded water level Iron Gate I	Bridge only on left bank
129	863,55	RO	RO	Road bridge (Portile de Fier II)	Lock	--	--	--	17,70	34,00	D + U	Impounded water level Iron Gate II	Lock at left bank

## List of Danube Bridges

Vertical bridge clearance refers to the distance (in metres) between the lowest part of the bottom edge of a bridge in the range of the entire width of the fairway channel and the highest navigable water level (HNWL).  
Horizontal bridge clearance refers to the width of the fairway channel at low navigable water level (LNWL).

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1			Passageway 2			HNWL at reference gauge	Notes
						(RB downstream view)			(LB downstream view)				
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		
130	863,00	RS	RS	Road bridge (Đjerdap II)	Lock	13,87	34,00	D + U	--	--	--	Impounded water level Iron Gate II	Lock at right bank
131	796,10	BG	RO	Bridge Vidin - Calafat/Podul Calafat-Vidin	Road/Rail	--	--	--	21,79	148,00	D + U	671 cm Calafat	Passageway 1 will presumably be available after dredging in 2020, the height and reference is related to the Romanian reference system
132	488,70	BG	RO	Road and rail bridge Giurgiu-Rousse	Road/Rail	13,91	150,00	D	13,91	150,00	U	707 cm Giurgiu	3rd passageway available (width: 76.00, height: 14.40 / 21.82), the height and reference is related to the Romanian reference system
133	300,07	RO	RO	Road and rail bridge Cernavodă	Road/Rail	24,99	150,00	D + U	--	--	--	604 cm Cernavodă	
134	300,00	RO	RO	Rail bridge Cernavodă	Rail	24,99	150,00	D + U	--	--	--	604 cm Cernavodă	
135	237,80	RO	RO	Road bridge Vadu Oii - Giurgeni	Road	17,70	120,00	D	15,20	100,00	U	644 cm Hârșova	Height at crest: 20.70 (Passageway 1) and 19.35 (Passageway 2)

## PORT ENTRANCES

1	2 127,16	AT	AT	Eisenbahnbrücke VOEST-Hafen	Rail/Pipeline	6,73	79,60	D + U	--	--	--	251,58 m a. A. Überströmstrecke Steyregg	Height at crest: 7,09 m
2	1 998,00	AT	AT	Straßenbrücke Hafen Krems	Road	8,51	30,00	D + U	--	--	--	194.30 m a. A. Thallern	Height at crest: 8.76 m
3	1 920,75	AT	AT	Straßenbrücke Freudenauer Hafen	Road	8,02	42,80	D + U	--	--	--	155,56 m a. A. Donaukanalmündung	Height at crest: 9,67 m
4	1 920,45	AT	AT	Eisenbahnbrücke Freudenauer Hafen	Rail	9,47	43,90	D + U	--	--	--	155,56 m a. A. Donaukanalmündung	
5	1 916,80	AT	AT	Rohrbrücke Ölhafen Lobau	Pipeline	10,83	44,00	D + U	--	--	--	5,94 m Hafenzufahrtskanal	
6	1 866,25	SK	SK	Port of Bratislava (Prístavný most)	Road/Rail	11,06	50,00	D + U	--	--	--	645 cm Bratislava	
7	1 865,40	SK	SK	Port of Bratislava-Pálenisko	Pipeline	11,88	100,00	D + U	--	--	--	645 cm Bratislava	
8	1 767,00	SK	SK	Port of Komárno	Road	5,69	40,00	D + U	--	--	--	588 cm Komárno	Height at crest: 7.67

## List of Danube Bridges

Vertical bridge clearance refers to the distance (in metres) between the lowest part of the bottom edge of a bridge in the range of the entire width of the fairway channel and the highest navigable water level (HNWL).  
Horizontal bridge clearance refers to the width of the fairway channel at low navigable water level (LNWL).

No.	River-km	RB	LB	Name of bridge	Main use	Passageway 1			Passageway 2			HNWL at reference gauge	Notes
						(RB downstream view)			(LB downstream view)				
						Height (m)	Width (m)	Direction	Height (m)	Width (m)	Direction		

### BORCEA SIDEARM

1	42,30	RO	RO	Rail bridge Fetești-Cernavodă	Rail	11,65	100,00	U	11,20	100,00	D	639 cm Călărași	
2	42,22	RO	RO	Road/rail Fetești-Cernavodă	Road/Rail	11,65	100,00	U	11,20	100,00	D	639 cm Călărași	

### DANUBE-BLACK SEA CANAL

Minimum height under the seven bridges of the Danube-Black Sea Canal is 16.50 m above highest navigable water level.

#### ABBREVIATIONS

No. = consecutive number RB = situated close to or on the right bank LB = situated close to or on the left bank D = for vessels headed downstream U = for vessels headed upstream HW = headwater of a barrage or lock TW = tailwater of a barrage or lock  
n. s. = not specified a. A. = above Adria

#### SOURCES

Wasserstraßen- und Schifffahrtsamt Regensburg, viadonau, Dopravný úrad, Észak-Dunántúli Vízügyi Igazgatóság, Agencija za Vodne Putove, Plovput, Autoritatea Navală Română, Danube Commission, electronic navigational charts, WESKA - Europäischer Schifffahrts- und Hafenkalendar

#### EXCLUSION OF LIABILITY

viadonau does not assume liability for the correctness and completeness of the information provided. Any claim of liability based on this bridge data provided by viadonau as service feature is, by any means whatsoever, excluded and void.

1-41: hights of passageways are rounded down to 0.05 m

type = main use

class = UNECE/ECMT-waterway class of the section, in which the bridge is located